

<u>MS05</u> **BATH SPOUT**

•

meir.



FLOW RATE GRAPH



CREDENTIALS


• Watermark AS/NZS3718WMKA25013




| NO. | Part |
|-----|--------------|
| 1 | Back plate |
| 2 | O-ring |
| 3 | Spout |
| 4 | O-ring |
| 5 | Aerator |
| 6 | Aerator Case |

MW03S-FIN WALL MIXER FINISH KIT

meir.




8



• Refer to the installation manual for correct installation.

FLOW RATE GRAPH





CREDENTIALS

• Watermark AS/NZS 3718WMKA25013




TOLERANCES





MW03-FIN WALL MIXER FINISH KIT

meir.




1

2

3

4



CREDENTIALS

Watermark AS/NZS 3718WMKA25013

MW03-FIN V1

1

2

3

4

5

6

7

5

O-Ring

Copper Sleeve

Decor Cover

Handle

Screw

Decor Knob

6

7

MW13BDY WALL MIXER CONCEALED BODY

meir.

BRASS MW13BDY

AVAILABLE FINISHES


FEATURES

- 10 Year warranty
- Flow rate 18L p/m
- European components and cartridge
- Reinforced rubber seal and lining
- Solid brass construction

CARE

- Do not install tapware using any form of acetone silicones.
- Do not apply physical items (such as tools)directlytoproduct.
- Never use house-hold or commercial detergents, citrus based cleaners, or abrasive cleaners.
- Clean using a mild washing soap solution rinsed, and dry with a soft cloth.
- Check for any product defects before installation.
- Refer to the installation manual for correct installation.

FLOW RATE GRAPH




CREDENTIALS


• Watermark AS/NZS 3718WMKA25013

SPECIFICATIONS



TOLERANCES







MZ06-R HAND SHOWER

meir.

CHROME

MZ06-R-C

MATTE BLACK MZ06-R

CHAMPAGNE MZ06-R-CH

AVAILABLE MZO6-R-BB **FINISHES**

SPECIFICATIONS

TIGER

BRONZE

FEATURES


- 10 Year warranty
- Flow rate 6 L p/m
- Solid brass construction
- Box Weight 1.06 kg

CARE


- Do not install tapware using any form of acetone silicones.
- Do not apply physical items (such as tools) directly to product.
- · Never use house-hold or commercial detergents, citrus based cleaners, or abrasive cleaners.
- Clean using a mild washing soap solution rinsed, and dry with a soft cloth.
- Check for any product defects before installation.
- Refer to the installation manual for correct installation.

CREDENTIALS


- Watermark AS/NZS3718WMKA25013
- Wels Rated 3 Star



FLOW RATE GRAPH



TOLERANCES



1/2" BSP female thread water inlet


80

6



MZ06-R HAND SHOWER

meir.



| Part Number |
|---------------------|
| Back plate |
| O-ring |
| Bracket |
| Shower hose |
| Screw |
| Wear-resisting ring |
| Shower holder |
| Wear-resisting ring |
| Screw |
| Controller |
| Spray plate |
| Fixed block |
| Body |
| Cover |
| |
| |

