

MB06

FREE STANDING BATH SPOUT



meir®

MATTE BLACK
MB06

CHROME
MB06-C

CHAMPAGNE
MB06-CH

TIGER
BRONZE
MB06-BB

BRUSHED
NICKEL
MB06-PVDBN

AVAILABLE
FINISHES


FEATURES

- 10 Year warranty
- Flow rate 22 L p/m
- European components and cartridge
- Solid brass construction
- Box Weight 1.9 Kg


CARE

- Do not install tapware using any form of acetone solvents.
- Do not apply physical items (such as tools) directly to product.
- Never use household or commercial detergents, citrus based cleaners, or abrasive cleaners.
- Clean using a mild washing soap solution rinsed, and dry with a soft cloth.
- Check for any product defects before installation.
- Refer to the installation manual for correct installation.


SPECIFICATIONS




TOLERANCES



FLOW RATE GRAPH



EXPLODED VIEW



No.	Part Name	Qty
1	Aerator	1
2	Spout	1
3	Screw	1
4	O-ring	2
5	Back Plate	1
6	O-ring	1
7	Base Plate	1

CREDENTIALS

- Watermark AS/NZS3718WMKA25013

MW07TS-FIN

WALL MIXER DIVERTER FINISH KIT

meir®

MATTE BLACK
MW07TS-FIN

CHROME
MW07TS-FIN
-C

CHAMPAGNE
MW07TS-FIN
-CH

**TIGER
BRONZE**
MW07TS-FIN
-BB

**BRUSHED
NICKEL**
MW07TS-FIN
-PVDBN

**AVAILABLE
FINISHES**




FEATURES

- 10 Year warranty
- Flow rate 18L p/m
- European components and cartridge
- Reinforced rubber seal and lining
- Solid brass construction


CARE

- Do not install tapware using any form of acetone silicones.
- Do not apply physical items (such as tools) directly to product.
- Never use house-hold or commercial detergents, citrus based cleaners, or abrasive cleaners.
- Clean using a mild washing soap solution rinsed, and dry with a soft cloth.
- Check for any product defects before installation.
- Refer to the installation manual for correct installation.


SPECIFICATIONS



TOLERANCES




FLOW RATE GRAPH



CREDENTIALS

- Watermark AS/NZS 3718WMKA25013

EXPLODED VIEW



MW27BDY

WALL DIVERTER CONCEALED PART

meir®

BRASS
MW27BDY

AVAILABLE
FINISHES





FEATURES

- 10 Year warranty
- Flow rate 18L p/m
- European components and cartridge
- Reinforced rubber seal and lining
- Solid brass construction

CARE

- Do not install tapware using any form of acetone silicones.
- Do not apply physical items (such as tools) directly to product.
- Never use house-hold or commercial detergents, citrus based cleaners, or abrasive cleaners.
- Clean using a mild washing soap solution rinsed, and dry with a soft cloth.
- Check for any product defects before installation.
- Refer to the installation manual for correct installation.

SPECIFICATIONS




TOLERANCES



WALL FINISH TOLERANCE


FLOW RATE GRAPH



CREDENTIALS

- Watermark AS/NZS 3718WMKA25013

EXPLODED VIEW



MZ06-R HAND SHOWER



meir®

MATTE BLACK
MZ06-R

CHROME
MZ06-R-C

CHAMPAGNE
MZ06-R-CH

**TIGER
BRONZE**
MZ06-R-BB

**BRUSHED
NICKEL**
MZ06-R
-PVDBN

**AVAILABLE
FINISHES**

FEATURES

- 10 Year warranty
- Flow rate **6 L p/m**
- Solid brass construction
- Box Weight **1.06 kg**
- 68mm long 1/2" threaded adapter included


CARE

- Do not install tapware using any form of acetone silicones.
- Do not apply physical items (such as tools) directly to product.
- Never use house-hold or commercial detergents, citrus based cleaners, or abrasive cleaners.
- Clean using a mild washing soap solution rinsed, and dry with a soft cloth.
- Check for any product defects before installation.
- Refer to the installation manual for correct installation.


CREDENTIALS

- Watermark AS/NZS3718WMKA25013
- Wels Rated 3 Star

SPECIFICATIONS




FLOW RATE GRAPH



TOLERANCES

Max back-plate tolerance




MZ06-R

HAND SHOWER

meir®

EXPLODED VIEW

NO.	Part Number
1	Handle Shower
2	Water Flow Controller
3	Shower Hose
6	Screw
7	Wear Ring
8	Bracket
9	Wear Ring
10	Screw
11	Bracket Base
12	O-Ring
13	Back Plate
14	Threaded Adapter
15	Protective Sleeve
16	Check Valve



NOTE: The hose end caps of parts (3,6) are made from a special hardened plastic to prevent the brass mount (8) from scratching.