MA02-400 WALL SHOWER ARM

meir.

MATTE BLACK MA02-400

CHROME MA02-400-C CHAMPAGNE MA02-400 -CH TIGER BRONZE MA02-400 -PVDBB BRUSHED NICKEL MA02-400 -PVDBN

AVAILABLE FINISHES

FEATURES

- 10 Year warranty
- Solid brass construction
- Box Weight 0.7kg
- 68mm long 1/2" threaded adapter included


CARE

- Do not install tapware using any form of acetone silicones.
- Do not apply physical items (such as tools) directly to product.
- Never use house-hold or commercial detergents, citrus based cleaners, or abrasive cleaners.
- Clean using a mild washing soap solution rinsed, and dry with a soft cloth.
- Check for any product defects before installation.

EXPLODED VIEW

 Refer to the installation manual for correct installation.





Item	•
1	Back plate
2	O-ring
3	Shower arm
4	Flat washer
5	Connector

meir.

MATTE BLACK MH04

CHROME MH04-C CHAMPAGNE MH04-CH TIGER BRONZE MH04-BB BRUSHED NICKEL MH04-PVDBN

AVAILABLE FINISHES



FEATURES


- 10 Year warranty
- Flow rate 9L p/m
- · Solid brass construction
- Box Weight 1.1 Kg

CARE

- Do not install tapware using any form of acetone silicones.
- Do not apply physical items (such as tools) directly to product.
- Never use house-hold or commercial detergents, citrus based cleaners, or abrasive cleaners.
- Clean using a mild washing soap solution rinsed, and dry with a soft cloth.
- Check for any product defects before installation.
- Refer to the installation manual for correct installation.

\$\frac{\phi}{\phi} \frac{\phi}{\phi} \frac{\phi}


FLOW RATE GRAPH



CREDENTIALS

- Watermark AS/NZS3718WMKA25013
- Wels Rated 3 Star

EXPLODED VIEW



No.	Part Name
ŧ	Strainer
2	Flow Controller
3	Nut
4	Wearing Ring
5	Universal Ball
6	Wearing Ring
7	Screw
8	Connet Nut
9	O-ring
10	Cover Plate
11	Connector
12	Rubber Gasket
13	Plate

meir.

MATTE BLACK MH05

CHROME MH05-C CHAMPAGNE MH05-CH TIGER BRONZE MH05-BB BRUSHED NICKEL MH05-PVDBN

AVAILABLE FINISHES




FEATURES

- 10 Year warranty
- Flow rate 9L p/m
- · Solid brass construction
- Box Weight 1.4 Kg


CARE

- Do not install tapware using any form of acetone silicones.
- Do not apply physical items (such as tools) directly to product.
- Never use house-hold or commercial detergents, citrus based cleaners, or abrasive cleaners.
- Clean using a mild washing soap solution rinsed, and dry with a soft cloth.
- Check for any product defects before installation.
- Refer to the installation manual for correct installation.



EXPLODED VIEW

FLOW RATE GRAPH



CREDENTIALS

- Watermark AS/NZS3718WMKA25013
- Wels Rated 3 Star

Part Name Flow Controller 2 3 Nut 4 Wearing Ring 5 Universal Ball 6 Wearing Ring 7 Screw 8 Connet Nut 9 O-ring 10 Cover Plate 11 Connector 12 Rubber Gasket

meir.

MATTE BLACK MH06

CHROME MH06-C CHAMPAGNE MH06-CH TIGER BRONZE MH06-BB BRUSHED NICKEL MH06-PVDBN

AVAILABLE FINISHES




FEATURES


- 10 Year warranty
- Flow rate 9L p/m
- · Solid Brass construction
- Box Weight 2.0 Kg

CARE

- Do not install tapware using any form of acetone silicones.
- Do not apply physical items (such as tools) directly to product.
- Never use house-hold or commercial detergents, citrus based cleaners, or abrasive cleaners.
- Clean using a mild washing soap solution rinsed, and dry with a soft cloth.
- Check for any product defects before installation.
- Refer to the installation manual for correct installation.




FLOW RATE GRAPH



CREDENTIALS

- Watermark AS/NZS3718WMKA25013
- Wels Rated 3 Star

EXPLODED VIEW



No.	Part Name
1	Strainer
2	Flow Controller
3	Nut
4	Wearing Ring
5	Universal Ball
6	Wearing Ring
7	Screw
8	Connet Nut
9	O-ring
10	Cover Plate
11	Connector
12	Rubber Gasket
13	Plate

MW03S-FIN WALL MIXER FINISH KIT

meir.

MATTE BLACK MW03S-FIN

CHROME MW03S-FIN-C CHAMPAGNE MW03S-FIN -CH TIGER BRONZE MW03S-FIN -BB BRUSHED NICKEL MW03S-FIN -PVDBN

AVAILABLE FINISHES


FEATURES


- 10 Year warranty
- Flow rate 18L p/m
- European components and cartridge
- · Reinforced rubber seal and lining
- · Solid brass construction
- Box Weight 1 Kg

CARE


- Do not install tapware using any form of acetone silicones.
- Do not apply physical items (such as tools)directlytoproduct.
- Never use house-hold or commercial detergents, citrus based cleaners, or abrasive cleaners.
- Clean using a mild washing soap solution rinsed, and dry with a soft cloth.
- Check for any product defects before installation.
- Refer to the installation manual for correct installation.

SPECIFICATIONS











FLOW RATE GRAPH



CREDENTIALS

Watermark AS/NZS 3718WMKA25013

EXPLODED VIEW



MW03-FIN WALL MIXER FINISH KIT

meir.

MATTE BLACK MW03-FIN

CHROME MW03**-FIN**-C CHAMPAGNE MW03-FIN-CH TIGER BRONZE MW03-FIN -BB BRUSHED NICKEL MW03-FIN -PVDBN

AVAILABLE FINISHES


FEATURES


- 10 Year warranty
- Flow rate 18L p/m
- European components and cartridge
- · Reinforced rubber seal and lining
- · Solid brass construction
- Box Weight 1 Kg

CARE


- Do not install tapware using any form of acetone silicones.
- Do not apply physical items (such as tools)directlytoproduct.
- Never use house-hold or commercial detergents, citrus based cleaners, or abrasive cleaners.
- Clean using a mild washing soap solution rinsed, and dry with a soft cloth.
- Check for any product defects before installation.
- Refer to the installation manual for correct installation.

SPECIFICATIONS






FLOW RATE GRAPH



CREDENTIALS

Watermark AS/NZS 3718WMKA25013



MW13BDY WALL MIXER CONCEALED BODY

meir.



AVAILABLE FINISHES


FEATURES


- 10 Year warranty
- Flow rate 18L p/m
- European components and cartridge
- · Reinforced rubber seal and lining
- · Solid brass construction

CARE


- Do not install tapware using any form of acetone silicones.
- Do not apply physical items (such as tools)directlytoproduct.
- Never use house-hold or commercial detergents, citrus based cleaners, or abrasive cleaners.
- Clean using a mild washing soap solution rinsed, and dry with a soft cloth.
- Check for any product defects before installation.
- Refer to the installation manual for correct installation.

SPECIFICATIONS





FLOW RATE GRAPH



CREDENTIALS

Watermark AS/NZS 3718WMKA25013

No. Item Part Name 1 Body 2 Screw 3 Copper Sleeve 4 D35 Cartridge 5 Nut 6 Plastic Cover 7 Screw 1 2 3 4 5 6 7