MA0102-400 **WALL SHOWER ROSE**

meir.°



CHROME MA0102-400-C CHAMPAGNE MA0102-400-CH

TIGER BRONZE A0102-400-BB


AVAILABLE FINISHES

FEATURES


- 10 Year warranty
- Flow rate 8L p/m
- European components and cartridge
- Solid brass construction
- Box Weight 2.3kg
- 68mm long 1/2" threaded adapter included

CARE

- · Do not install tapware using any form of acetone silicones.
- Do not apply physical items (such as tools) directly to product.
- · Never use house-hold or commercial detergents, citrus based cleaners, or abrasive cleaners.
- · Clean using a mild washing soap solution rinsed, and dry with a soft cloth.
- Check for any product defects before installation.
- · Refer to the installation manual for correct installation.



FLOW RATE GRAPH



CREDENTIALS

- Watermark AS/NZS3718WMKA25013
- 3 Star WELS rated

EXPLODED VIEW

No.

Part Name

1	Spout	
2	Shower Rose	
3	Flow Controller	
	3	2

MAO103 WALL SHOWER ROSE

meir.

MATTE BLACK MA0103

CHROME MA0103-C CHAMPAGNE MA0103-CH TIGER BRONZE MA0103-BB


AVAILABLE FINISHES

FEATURES


- 10 Year warranty
- · Flow rate 9L p/m
- European components and cartridge
- Solid brass construction
- Box Weight 3.1 kg
- 68mm long 1/2" threaded adapter included

CARE

- Do not install tapware using any form of acetone silicones.
- Do not apply physical items (such as tools) directly to product.
- Never use house-hold or commercial detergents, citrus based cleaners, or abrasive cleaners.
- Clean using a mild washing soap solution rinsed, and dry with a soft cloth.
- Check for any product defects before installation.
- Refer to the installation manual for correct installation.



FLOW RATE GRAPH



CREDENTIALS

- Watermark AS/NZS3718WMKA25013
- 3 Star WELS rated

EXPLODED VIEW

No.

Part Name

		1		
1	Spout			
2	Shower Rose			
3	Flow Controller			
2				
	3			

melr.



AVAILABLE FINISH


FEATURES

- 10 Year warranty
- In-built diverter switch
- Flow rate 18L p/m
- European components and cartridge
- · Reinforced rubber seal and lining
- Solid brass construction
- Box Weight 2.1 Kg

CARE

- Do not install tapware using any form of acetone silicones.
- Do not apply physical items (such as tools)directlytoproduct.
- Never use house-hold or commercial detergents, citrus based cleaners, or abrasive cleaners.
- Clean using a mild washing soap solution rinsed, and dry with a soft cloth.
- Check for any product defects before installation.
- Refer to the installation manual for correct installation.


SPECIFICATIONS






max tolerance 63 15 min tolerance

FLOW RATE GRAPH



CREDENTIALS

• WaterMark AS/NZS 3718WMKA25013



meir.





AVAILABLE FINISHES

FEATURES


- 10 Year warranty
- Flow rate 7 L p/m
- · Solid brass construction
- · Box Weight 1.2 kg
- 68mm long 1/2" threaded adapter included


CARE


- Do not install tapware using any form of acetone silicones.
- Do not apply physical items (such as tools) directly to product.
- Never use house-hold or commercial detergents, citrus based cleaners, or abrasive cleaners.
- Clean using a mild washing soap solution rinsed, and dry with a soft cloth.
- Check for any product defects before installation.
- Refer to the installation manual for correct installation.

CREDENTIALS

- Watermark AS/NZS3718WMKA25013
- Wels Rated 4 Star








melr.°

EXPLODED VIEW



No.	Part Name
1	Hand Shower
2	Flow Controller
3	Screw
4	Wear-resistant ring
5	Shower Bracket
6	Wear-resistant ring
7	Body
8	Screw
9	Shower hose
10	Connector
11	O-ring
12	Back Plate