



Wall Hung.

20 — 21 BASIN RANGE

21 sink designs, 14 colours. Rethought for accessible living.

TABLE OF CONTENTS



PICTURED: SHELF 01 BASIN | SKY GREY

| ROUND BASINS | PAGE NO. |
|------------------------------|----------|
| Prism Basin, Circle | 08 |
| Stepp Basin, Circle | 10 |
| Bowl Basin | 12 |
| Funl Basin | 14 |
| Tubb Basin | 16 |
| Hoop Basin | 18 |
| Bowl Basin, Two Tone | 20 |
| SQUARE BASINS | PAGE NO. |
| Cube Basin | 22 |
| Vesl Basin, Square | 24 |
| Herbert Basin | 26 |
| OVAL BASINS | PAGE NO. |
| Pill Basin | 28 |
| RECTANGLE BASINS | PAGE NO. |
| Prism Basin, Rectangle | 30 |
| Stepp Basin, Rectangle | 32 |
| Vesl Basin, Rectangle | 34 |
| Box Basin | 36 |
| Box Basin, Two Tone | 38 |
| Trough Basin | 40 |
| OVERFLOW BASINS | PAGE NO. |
| Shelf O1 Basin | 42 |
| Shelf O2 Basin | 44 |
| Shelf O3 Basin | 46 |
| Shelf Oval Basin | 48 |
| ADDITIONAL INFO | PAGE NO. |
| Assembly (Timber Frame Wall) | 49 |
| Assembly (Masonry Wall) | 50 |
| Colour Range | 51 |
| Concrete, a true picture | 51 |
| Maintenance | 52 |
| Packaging and Transport | 53 |
| Nood Co Concrete Composition | 53 |
| Meet The Team | 54 |



PICTURED: BOX BASIN TWO TONE | MID TONE GREY







for the mimimal, for the accessible

For narrow spaces, minimal aesthetics or just the design-savvy, the Nood Co wall hung series is your solution. With a stunning offering of 20 wall hung basin designs, each basin featuring its own unique wall mount bracket. Concrete has never looked so good.

With design profiles ranging from circle, square, oval, rectangle, trough and much more this glorious range of UHP concrete offer an unrivalled real world performance and simple install.

Available in pastel concrete, in 14 colours.

A new consciousness in concrete is here.









A favourite at Nood Co, the alluring Prism Basin is a concrete sink featuring an elegant chamfered edge with a breathtaking high strength finish.

DIMENSIONS

D400mm x H115mm*

(D15.7in x H4.5in)*

Chamfer L40mm (1.5in)*

Side Wall L70mm (2.7in)*

WEIGHT

10kg (22lb)*

WASTE REQUIRED

Suits standard 32mm (11/4in)

THICKNESS


BASIN WALL 10mm (0.39in)

SEALER

Nood Co Deep Seal System

ASSEMBLY

Important Note: Please install bracket direct to masonry or timber wall, prior to sheeting and tiling.













The Stepp Basin in Circle is a designer's dream. A two-toned palette and elegant curves create a high-end, contemporary masterpiece with this concrete sink.

DIMENSIONS

D400mm x H115mm* (D15.7in x H4.5in)*

WEIGHT

BASIN 10kg (22lb)*

WASTE REQUIRED

Suits standard 32mm (11/4in)

THICKNESS


 $^{\text{BASIN WALL}}$ 10mm top (0.39in), 20mm base (0.78in)


SEALER


Nood Co Deep Seal System

ASSEMBLY

Important Note: Please install bracket direct to masonry or timber wall, prior to sheeting and tiling.













The Bowl Basin is feminine and refined.

Dainty curves and soft pastels fuse together as this modest sink heroes your bathroom.

DIMENSIONS

D400mm x H115mm* (D15.7in x H4.5in)*

WEIGHT

^{BASIN} 10kg (22lb)*

WASTE REQUIRED

Suits standard 32mm (11/4in)

THICKNESS


BASIN WALL 20mm (0.78in)

SEALER


Nood Co Deep Seal System

ASSEMBLY

Important Note: Please install bracket direct to masonry or timber wall, prior to sheeting and tiling.













The Funl concrete basin has gorgeous angled walls that funnel down to a squared base to create an elegant bathroom masterpiece.

DIMENSIONS

Base D400mm, Top D355mm, H115mm (Base D15.7in, Top D13.9in, H4.5in)*

WEIGHT

10kg (22lb)*

WASTE REQUIRED

Suits standard 32mm (11/4in)

THICKNESS


BASIN WALL 10mm (0.39in)

SEALER

Nood Co Deep Seal System

ASSEMBLY

Important Note: Please install bracket direct to masonry or timber wall, prior to sheeting and tiling.













Cute and podgy, the curvy Tubb Basin features a bathtub style rim and and the modernistic charm of the 1950s. A design for the true creatives.

DIMENSIONS

BASIN

Internal D360mm (D14.1in)* External D420mm (D16.5in)* H115mm (H4.5in)*

WEIGHT

BASIN

10kg (22lb)*

WASTE REQUIRED

Suits standard 32mm (11/4in)


THICKNESS


BASIN WALL 25mm (0.98in)

SEALER

Nood Co Deep Seal System

ASSEMBLY





Measurements and weights are approximate.

Waste not provided by Nood Co. Colours may vary.

Warranty / Packaging / Maintenance / Assembly Instructions

can be found at rear of catalogue.









With its sleek walls and clean-cut edges, the concrete Hoop Basin by Nood Co adds a refined touch to the bathroom.

DIMENSIONS

D400mm x H115mm (D15.7in x H4.5in)*

WEIGHT

^{BASIN} 10kg (22lb)*

WASTE REQUIRED

Suits standard 32mm (11/4in)

THICKNESS


BASIN WALL 20mm (0.78in)


SEALER


Nood Co Deep Seal System

ASSEMBLY

Important Note: Please install bracket direct to masonry or timber wall, prior to sheeting and tiling.









Bowl Basin, Two Tone





Details

The Bowl Basin is back with a stunning new outfit. Two tones add a dynamic to your bathroom space like never before seen.

DIMENSIONS

D400mm x H115mm

(D15.7in x H4.5in)*

TWO TONE 30mm (1.18in) from bottom edge

WEIGHT

10kg (22lb)*

WASTE REQUIRED

Suits standard 32mm (11/4in)


THICKNESS

BASIN WALL 20mm (0.78in)

SEALER

Nood Co Deep Seal System

ASSEMBLY





Measurements and weights are approximate.

Waste not provided by Nood Co. Colours may vary.

Warranty / Packaging / Maintenance / Assembly Instructions

can be found at rear of catalogue.









Offsetting symmetry with smooth, rounded corners, the concrete Cube Basin by Nood Co is the perfect addition to any bathroom space.

DIMENSIONS

BASIN TOP L390mm x W390mm x H115mm

(L15.3in x W15.3in x H4.5in)*

BASIN BASE L350mm x W350mm

(L13.7in x W13.7in)*

WEIGHT

8.6kg (19lb)*

WASTE REQUIRED

Suits standard 32mm (11/4in)

THICKNESS


BASIN WALL 12mm (0.47in)

SEALER

Nood Co Deep Seal System

ASSEMBLY

Important Note: Please install bracket direct to masonry or timber wall, prior to sheeting and tiling.



12mm wall thickness



Measurements and weights are approximate.

Waste not provided by Nood Co. Colours may vary.

Warranty / Packaging / Maintenance / Assembly Instructions

can be found at rear of catalogue.









The Vesl Square concrete basin is the perfect contemporary solution. Smooth, curved corners and ultra fine concrete elevate the space with style.

DIMENSIONS

L400mm x W400mm x H115mm (L15.7in x W15.7in x H4.5in)*

WEIGHT

^{BASIN} 10kg (22lb)*

WASTE REQUIRED

Suits standard 32mm (11/4in)

THICKNESS


BASIN WALL 15mm (0.59in)

SEALER


Nood Co Deep Seal System

ASSEMBLY

Important Note: Please install bracket direct to masonry or timber wall, prior to sheeting and tiling.














Herbert is the perfect presentation piece, for your commercial or residential space. Featuring a narrow 355mm depth for tight spaces, this basin can sit on a vanity or wall hang.

DIMENSIONS

L410 x W355mm x H335mm

(L16.2in x W13.1in x H13.1in)*

BASIN HEIGHT 125mm (4.9in)*

W400mm x H87mm (W15.7in x H3.4in)*

WEIGHT

14.1kg (30.9lb)

WASTE REQUIRED

Suits standard 32mm (11/4in)

THICKNESS

BASIN WALL 20mm (0.78in) STRIP 10mm (0.39in)


SPLASHBACK 20mm (0.78in)


SEALER

Nood Co Deep Seal System

TAP

150mm tap required. Holes to be cut by Nood.





Measurements and weights are approximate.

Waste not provided by Nood Co. Colours may vary.

Warranty / Packaging / Maintenance / Assembly Instructions

can be found at rear of catalogue.









The Pill Basin is the perfect designer finish for the modern bathroom. With sleek rounded edges and ultra fine concrete walls, this contemporary concrete sink is the showpiece to elevate your space.

DIMENSIONS

L580mm x W380mm x H100mm* (L22.8in x W14.9in x H3.9in)*

WEIGHT

11kg (24lb)*

WASTE REQUIRED

Suits standard 32mm (11/4in)


THICKNESS

BASIN WALL 12mm (0.47in)

SEALER

Nood Co Deep Seal System

ASSEMBLY





Measurements and weights are approximate.
Waste not provided by Nood Co. Colours may vary.
Warranty / Packaging / Maintenance / Assembly Instructions
can be found at rear of catalogue.









A favourite at Nood Co, the alluring Prism Basin is a concrete sink featuring an elegant chamfered edge with a breathtaking high strength finish.

DIMENSIONS

L600mm x W400mm x H115mm*

(L23.6in x W15.7in x H4.5in)*

Chamfer L40mm (1.5in)*

Side Wall L70mm (2.7in)*

WEIGHT

16kg (35lb)*

WASTE REQUIRED

Suits standard 32mm (11/4in)


THICKNESS

9mm (0.35in) top 20mm (0.78in) base

SEALER

Nood Co Deep Seal System

ASSEMBLY






Measurements and weights are approximate.

Waste not provided by Nood Co. Colours may vary.

Warranty / Packaging / Maintenance / Assembly Instructions

can be found at rear of catalogue.





Stepp Basin, Rectangle





Details

The Stepp Basin changes the perception of concrete sink design. Two toned colours and refined edges create a high-end, contemporary offering for bathrooms.

DIMENSIONS

L600mm \times W400mm \times H115mm* (L23.6in \times W15.7in \times H4.5in)*

WEIGHT

16kg (35lb)*

WASTE REQUIRED

Suits standard 32mm (11/4in)


THICKNESS


BASIN WALL 10mm (0.39in) top 20mm (0.78in) base

SEALER

Nood Co Deep Seal System

ASSEMBLY





Measurements and weights are approximate.
Waste not provided by Nood Co. Colours may vary.
Warranty / Packaging / Maintenance / Assembly Instructions
can be found at rear of catalogue.









With contemporary curves and refined edges, the Vesl Rectangle ushers in a new standard in high strength concrete basins for designers to engage.

DIMENSIONS

L600mm \times W400mm \times H115mm* (L23.6in \times W15.7in \times H4.5in)*

WEIGHT

^{BASIN} 16kg (35lb)*

WASTE REQUIRED

Suits standard 32mm (11/4in)


THICKNESS

BASIN WALL 15mm (0.59in)

SEALER

Nood Co Deep Seal System

ASSEMBLY





Measurements and weights are approximate.
Waste not provided by Nood Co. Colours may vary.
Warranty / Packaging / Maintenance / Assembly Instructions
can be found at rear of catalogue.









Add form and shape to your aesthetic and pastel to your palette. The structured form of the Box Basin sits beautifully on surface tops throughout your home.

DIMENSIONS

L595mm x W395mm x H115mm* (L23.4in x W15.5in x H4.5in)*

WEIGHT

16kg (35lb)*

WASTE REQUIRED

Suits standard 32mm (11/4in)


THICKNESS

BASIN WALL 20mm (0.78in)

SEALER

Nood Co Deep Seal System

ASSEMBLY





Measurements and weights are approximate.
Waste not provided by Nood Co. Colours may vary.
Warranty / Packaging / Maintenance / Assembly Instructions
can be found at rear of catalogue.





Box Basin, Two Tone





Details

The Box Basin got himself a makeover. Now in gorgeous two tones, prepare to re-think the level of detail possible in your bathroom space.

DIMENSIONS

L595mm x W395mm x H115mm*

(L23.4in x W15.5in x H4.5in)*

TWO TONE H30mm (H1.2in) from bottom*

WEIGHT

16kg (35lb)*

WASTE REQUIRED

Suits standard 32mm (11/4in)

THICKNESS


BASIN WALL 20mm (0.78in)

SEALER

Nood Co Deep Seal System

ASSEMBLY

Important Note: Please install bracket direct to masonry or timber wall, prior to sheeting and tiling.






Measurements and weights are approximate.

Waste not provided by Nood Co. Colours may vary.

Warranty / Packaging / Maintenance / Assembly Instructions

can be found at rear of catalogue.





Trough Basin





Details

The high strength concrete Trough Basin is sculptural and silky smooth. Nostalgic in its reference and contemporary in presentation.

DIMENSIONS

L875mm x W415mm x H165mm* (L34.4in x W16.3in x H6.5in)*

WEIGHT

50kg (110lb)*

WASTE REQUIRED

Suits standard 40mm (1.57in)

THICKNESS


BASIN WALL 20mm (0.78in)

SEALER

Nood Co Deep Seal System

ASSEMBLY

Important Note: Please install bracket direct to masonry or timber wall, prior to sheeting and tiling.





Measurements and weights are approximate.

Waste not provided by Nood Co. Colours may vary.

Warranty / Packaging / Maintenance / Assembly Instructions
can be found at rear of catalogue.









The versatile Shelf 01 is perfect for powder rooms, tight spaces, high rise builds, minimal environments. Boasting a 440mm x 250mm x 130mm dimension, overflow kit, wall-hang capacity, and handy shelf for optional tap.

DIMENSIONS

L440mm x W250mm x H130mm

(L17.3in x W9.8in x H5.1in)*

OVERFLOW W100mm (W3.9in)*
LEDGE 15mm (0.5in) step down

WEIGHT

8.6kg (18.95lb)


WASTE REQUIRED


Suits standard 32mm (11/4in)

THICKNESS

BASIN WALL 20mm (0.78in)

SEALER





Measurements and weights are approximate.

Waste not provided by Nood Co. Colours may vary.

Warranty / Packaging / Maintenance / Assembly Instructions

can be found at rear of catalogue.









The Shelf 02 is perfect for powder rooms, tight spaces, high-rise builds and minimal environments. Boasting a $540 \, \text{mm} \times 300 \, \text{mm} \times 130 \, \text{mm}$ dimension, overflow kit, wall hang capacity, and handy shelf for optional tap.

DIMENSIONS

L600mm x W400mm x H130mm

(L23.6in x W15.7in x H5.1in)*

OVERFLOW W100mm (W3.9in)*
LEDGE 15mm (0.5in) step down

WEIGHT

11.35kg (25lb)*


WASTE REQUIRED


Suits standard 32mm (11/4in)

THICKNESS

BASIN WALL 20mm (0.78in)

SEALER





Measurements and weights are approximate.

Waste not provided by Nood Co. Colours may vary.

Warranty / Packaging / Maintenance / Assembly Instructions

can be found at rear of catalogue.









The Shelf 03 is perfect for powder rooms, high rise builds and minimal environments. Boasting a 640mm \times 400mm \times 130mm dimension, overflow kit, wall hang capacity, and handy shelf for optional tap.

DIMENSIONS

L540mm x W300mm x H130mm

(L21.2in x W11.8in x H5.1in)*

overFLOW W100mm (W3.9in)*
LEDGE 15mm (0.5in) step down

WEIGHT

16.55kg (36.4lb)*


WASTE REQUIRED

Suits standard 32mm (11/4in)

THICKNESS

BASIN WALL 20mm (0.78in)

SEALER



Measurements and weights are approximate.

Waste not provided by Nood Co. Colours may vary.

Warranty / Packaging / Maintenance / Assembly Instructions

can be found at rear of catalogue.









The Shelf Oval Basin is perfect for powder rooms, high rise builds and minimal environments. Boasting a 5800mm x 380mm x 130mm dimension, overflow kit, wall hang capacity, and handy shelf for optional tap.

DIMENSIONS

L580mm x W380mm x H115mm

(L22.8in x W14.9in x H4.5in)*

OVERFLOW W100mm (W3.9in)*

15mm (0.5in) step down

WEIGHT

11.75kg (26lb)*


WASTE REQUIRED


Suits standard 32mm (11/4in)

THICKNESS

BASIN WALL 10mm (0.39in)

SEALER





Measurements and weights are approximate.

Waste not provided by Nood Co. Colours may vary.

Warranty / Packaging / Maintenance / Assembly Instructions


can be found at rear of catalogue.


YOUR WALL MOUNT SINK KIT WILL CONTAIN:













Screw bracket to timber frame noggins, bracket upright to sit flush with frame



Sheet and tile over timber frame wall, then apply adhesive to bracket





Lower basin onto glued brackets firmly, ensure basin is placed centrally



Allow glue to dry for 12 hours prior to installing plumbing fixtures. Enjoy.


YOUR WALL MOUNT SINK KIT WILL CONTAIN:






Bolt bracket to masonry wall, ensuring bracket is placed at level height

Render and tile wall, then apply adhesive to bracket



Lower basin onto glued brackets firmly, ensure basin is placed centrally



Allow glue to dry for 12 hours prior to installing plumbing fixtures. Enjoy.





wall bracket

A new standard in design consideration, the Nood Co wall bracket range offers a unique wall bracket design per basin.

A big part of design is offering the client and trade a simple process of install, whilst never compromising on quality. This high-strength aluminium, powdercoated frame offers perfect support for its Nood basin. We have done the hard work so you can enjoy concrete in ways like never before.

A new consciousness in concrete is here.

Colour Range



Concrete, a true picture

Nood Co concrete basins are handmade with the finest concrete and have a high level of water tolerance and stain resistance. Here is a little more about what to expect from your concrete experience.

Concrete is a natural material and hence is subject to natural and human weathering. In response to this Nood Co have added special ingredients into its mix, and deep setting sealer to greatly improve how your basin performs, giving you a long-lasting experience.

For best long term results we suggest you:

- Use the wax provided. Generally you'll notice when the wax has worn away and then is a good time to reapply. Instructions on how to apply the wax are provided with each basin.
- Clean with a soft, microfibre cloth and soapy water. See maintenance for more.
- Clean as you spill. Stains are easily avoided by simply washing and wiping your spills as you go. For more please information see the maintenance section.
- Avoid leaving your basin plugged and filled with water for long periods of time.
- Closely follow the install instructions provided with each Nood package.



Concrete is a beautiful addition to your space, and well worth the small effort required to keep your space looking gorgeous.

For more please contact our friendly team at info@noodco.com.au.

Looking after your Nood basin is super simple, but everyone says that.

SO, WHAT CAN I REALISTICALLY EXPECT FROM MY NOOD BASIN EXPERIENCE?

Our concrete is sealed with a very effective, deep penetrating sealing system to allow a real-world function. With that said, Nood isn't ceramic. It's beautiful concrete and so we have some helpful tips to keep your basin even more beautiful for years to come.

CLEANING

Nood present the most advanced concrete composition on the market, we still encourage you to clean your spills as you go. Simply wash your spills away with soapy water and a soft, microfibre cloth. Please avoid scourers and strong cleaning chemicals.

Please immediately clean strong staining products such as coffee scrubs, acid-based products. Leaving these stains for over 6 hours although unlikely, may mark or etch the concrete.

For more information please check out our maintenance video at **noodco.com.au**.

SCRATCHING / CHIPS

Hey, it happens from time to time.

As your basin ages, it's likely that some minor scratching may have taken place. While this aligns with the natural beauty of concrete it may not always align with the client perception. Nood have colour repair kits ready to send out. They are simple to apply and will allow you to touch up any small imperfections on your basin.

For more information about repairs please email us at info@noodco.com.au.

WATER DROPS IN YOUR BASIN

Water drops are free to dry out in your basin. We've tested it, we've adjusted our concrete to it, and we've made sure this won't be an issue for you. 95% of water drops will dry into your concrete seamlessly. The other 5% will leave a white ring on your basin. In this rare case, simply wipe down with clean water and a microfibre cloth. Nice and easy.

WHAT'S THIS WAXING BUSINESS? SOUNDS LIKE WORK.

Not at all. Each Nood piece is carefully sealed and pre-waxed prior to delivery.

The basins are then packaged and sent out with spare maintenance wax and instructions so you can self-apply as necessary. The wax assists with abrasion and stain resistance. Simply apply more as you see it wear off. It's simple.

To view the wax application video please visit us at **noodco.com.au**.

HOW OFTEN DO I WAX?

Nood have tested it. The average frequency in which you'd need to reapply your wax, given you use your basin for 5 minutes and twice a day, is once every 3 months.

Nood have spare wax for when you require more, and we send out instructions on how to apply the wax with each basin. They are also available on our website.

To view the wax application video please visit us at **noodco.com.au**.

Packaging and Transport

Nood take the most care when it comes to packaging and transport. Each package is carefully wrapped in different grades of foam and boxed firmly with thick cardboard. Each package has flex points to allow for safe international and domestic travel.

Nood offer tracking with each package and a close access of communication. After all, this is your experience that we are excited to be a part of.

Nood Co Concrete Composition

Real beauty is on the inside.

The Nood concrete composition is a complex one. We won't bore you with too many details, but the Nood concrete is made of 8 highly refined components. Each component assists in a specific way, be it improving the concrete strength, the water ratio, mix integrity, water tolerance, colouring, durability and more.

We feel Colonel Sanders pain.

Everything from Nood Co has been a ground up build. From product design to concrete composition, sealing to packaging, every step of the process was dreamt up, tested and approved by Nood Co.

When you buy Nood Co you are purchasing something unique. You are buying the process, the love we willingly commit, so you can experience something with soul.

Aw...



Meet The Team



Matt

PRODUCT DESIGNER & PROCUREMENT

Matt is Nood's lead product designer, responsible for determining the mood, colour and general vibration for the Nood aesthetic. His design / moral compass is aimed toward originality and genuine connection with the consumer.



Chris

PRODUCT DEVELOPMENT & HEAD OF MANUFACTURE Chris is head of product development and manufacture. With an unrivalled understanding of chemical composition and material usage in chemical analysis, mechanical, concrete application, welding, manufacture and assembly, Chris makes it look easy, and it's seriously not.



Joelle

FRONT END MANAGER
Joelle is Nood Co's
front end manager.
Her extensive skill
set includes product,
graphic and web
design, coding and
copywriting...the list
goes on. Joelle's
knowledge of high-end
furniture is unrivalled,
and she leads a team
readied to assist with
your order.



Matt

MANUFACTURER
Matt co-runs the
manufacture floor for
Nood Co. Responsible
for looking after the
finesse of each
handmade product,
Matt drives our
team of makers to
ensure each piece of
concrete is made with
exact, precise love.



Connor

MANUFACTURER
Connor co-runs the manufacture floor at Nood Co HQ. An ever growing platform,
Connor ensures the staff training is under constant monitor.
With a trained eye for refinement and detail, you can thank Connor for Nood's exponential growth and consistent quality.



Meghan

STYLING & PHOTOGRAPHY Meghan is a highly regarded product stylist and photographer. She is responsible for the Nood Co product styling and shoots. Her storytelling within each shot is breath taking, so if you like what you see, you can thank Meghan.



Claire

GRAPHIC DESIGN & BRAND DEVELOPMENT Claire is an award winning graphic artist with a monster catalogue of original art, brand development and insane logo treatments. Her brand development is slick, super on trend and always completely original. A good portion of Nood's energy is Claire.



Renoy

ACCOUNTS
Renoy is the financial and strategic backbone of Nood Co. He directs the Nood management team with a sound understanding of cashflow and company scaling.



Cory

3D MODELLING & CADS
With a Masters
qualified in
Architecture, Cory
aids the Nood design
team in shaping up
their visions into
workable 3D models.
Cory has a strong
gauge for proportion,
aesthetic and structural
engineering.



Marc

PHOTOGRAPHY
Marc is a seasoned
portrait and product
shoot photographer.
An important part of
our brand is aptly
presenting the ideals
and culture that our
products suggest.
Nood doesn't get
anymore Marc, and
Marc doesn't get
anymore Nood.

NOOD CO CONCRETE FURNITURE

- E info@noodco.com
- P + 61 401 487 654
- FB / noodco
- IG @ nood_co
- ABN 31 166 430 173
- ACN 166 430 173
- REG 2013

NOODCO.FR NOODCO.COM.AU