

MA02-400

WALL SHOWER ARM



meir®

MATTE BLACK
MA02-400

CHROME
MA02-400-C

CHAMPAGNE
MA02-400
-CH

TIGER
BRONZE
MA02-400
-PVDBB

BRUSHED
NICKEL
MA02-400
-PVDBN

AVAILABLE FINISHES


FEATURES

- 10 Year warranty
- Solid brass construction
- Box Weight 0.7kg
- 68mm long 1/2" threaded adapter included

CARE

- Do not install tapware using any form of acetone silicones.
- Do not apply physical items (such as tools) directly to product.
- Never use house-hold or commercial detergents, citrus based cleaners, or abrasive cleaners.
- Clean using a mild washing soap solution rinsed, and dry with a soft cloth.
- Check for any product defects before installation.
- Refer to the installation manual for correct installation.

SPECIFICATIONS



EXPLODED VIEW



Item	Description
1	Back plate
2	O-ring
3	Shower arm
4	Flat washer
5	Connector

MH04

SHOWER ROSE

meir®

MATTE
BLACKMATTE
BLACK MH04

CHROME
MH04-C

CHAMPAGNE
MH04-CH

TIGER
BRONZE
MH04-BB

BRUSHED
NICKEL
MH04-PVDBN

AVAILABLE FINISHES



FEATURES

- 10 Year warranty
- Flow rate 9L p/m
- Solid brass construction
- Box Weight 1.1 Kg


CARE

- Do not install tapware using any form of acetone silicones.
- Do not apply physical items (such as tools) directly to product.
- Never use house-hold or commercial detergents, citrus based cleaners, or abrasive cleaners.
- Clean using a mild washing soap solution rinsed, and dry with a soft cloth.
- Check for any product defects before installation.
- Refer to the installation manual for correct installation.

SPECIFICATIONS



FLOW RATE GRAPH




Test pressure (MPa)	Flow rate (Liters/min)
0.15	8.5
0.25	9.0
0.30	8.8
0.35	8.6
0.50	8.5

CREDENTIALS

- Watermark AS/NZS3718WMKA25013
- Wels Rated 3 Star

EXPLODED VIEW



No.	Part Name
1	Strainer
2	Flow Controller
3	Nut
4	Wearing Ring
5	Universal Ball
6	Wearing Ring
7	Screw
8	Connet Nut
9	O-ring
10	Cover Plate
11	Connector
12	Rubber Gasket
13	Plate

MH05

SHOWER ROSE

meir®

MATTE
BLACKMATTE
BLACK MH05

CHROME
MH05-C

CHAMPAGNE
MH05-CH

TIGER
BRONZE
MH05-BB

BRUSHED
NICKEL
MH05-PVDBN

AVAILABLE FINISHES



FEATURES

- 10 Year warranty
- Flow rate 9L p/m
- Solid brass construction
- Box Weight 1.4 Kg

CARE

- Do not install tapware using any form of acetone silicones.
- Do not apply physical items (such as tools) directly to product.
- Never use house-hold or commercial detergents, citrus based cleaners, or abrasive cleaners.
- Clean using a mild washing soap solution rinsed, and dry with a soft cloth.
- Check for any product defects before installation.
- Refer to the installation manual for correct installation.


SPECIFICATIONS



CREDENTIALS

- Watermark AS/NZS3718WMKA25013
- Wels Rated 3 Star

EXPLODED VIEW



No.	Part Name
1	Strainer
2	Flow Controller
3	Nut
4	Wearing Ring
5	Universal Ball
6	Wearing Ring
7	Screw
8	Connet Nut
9	O-ring
10	Cover Plate
11	Connector
12	Rubber Gasket
13	Plate

MH06

SHOWER ROSE

meir®

MATTE
BLACKMATTE
BLACK MH06

CHROME
MH06-C

CHAMPAGNE
MH06-CH

TIGER
BRONZE
MH06-BB

BRUSHED
NICKEL
MH06-PVDBN

AVAILABLE FINISHES



FEATURES

- 10 Year warranty
- Flow rate 9L p/m
- Solid Brass construction
- Box Weight 2.0 Kg

CARE

- Do not install tapware using any form of acetone silicones.
- Do not apply physical items (such as tools) directly to product.
- Never use house-hold or commercial detergents, citrus based cleaners, or abrasive cleaners.
- Clean using a mild washing soap solution rinsed, and dry with a soft cloth.
- Check for any product defects before installation.
- Refer to the installation manual for correct installation.


SPECIFICATIONS



CREDENTIALS

- Watermark AS/NZS3718WMKA25013
- Wels Rated 3 Star

EXPLODED VIEW



No.	Part Name
1	Strainer
2	Flow Controller
3	Nut
4	Wearing Ring
5	Universal Ball
6	Wearing Ring
7	Screw
8	Connet Nut
9	O-ring
10	Cover Plate
11	Connector
12	Rubber Gasket
13	Plate

MW03S-FIN

WALL MIXER TRIM KIT

meir®




FEATURES

- Refer to the Meir website for warranty terms & conditions, and available finishes
- European components and cartridge
- Reinforced rubber seal and lining
- Solid brass construction
- Box Weight 1 Kg
- Flow rate 18L p/m at 3 bar pressure.


CARE

- Do not install tapware using any form of acetone silicones.
- Do not apply physical items (such as tools) directly to product.
- Never use house-hold or commercial detergents, citrus based cleaners, or abrasive cleaners.
- Clean using a mild washing soap solution rinsed, and dry with a soft cloth.
- Check for any product defects before installation.
- Refer to the installation manual for correct installation.


SPECIFICATIONS



TOLERANCES




FLOW RATE GRAPH



CREDENTIALS

- Watermark AS/NZS 3718WMKA25013

EXPLODED VIEW




MW03-FIN

WALL MIXER FINISH KIT

meir®

HANDLE VARIANTS



Paddle:MW03PD-FIN Paddle:MW03PN-FIN


FEATURES

- Refer to the Meir website for warranty terms & conditions, and available finishes
- Flow rate 18L p/m at 3 bar pressure.
- European components and cartridge
- Reinforced rubber seal and lining
- Solid brass construction
- used in conjunction with the MW13BDY in wall body.


CARE

- Do not install tapware using any form of acetone silicones.
- Do not apply physical items (such as tools) directly to product.
- Never use house-hold or commercial detergents, citrus based cleaners, or abrasive cleaners.
- Clean using a mild washing soap solution rinsed, and dry with a soft cloth.
- Check for any product defects before installation.
- Refer to the installation manual for correct installation.


SPECIFICATIONS



TOLERANCES



FLOW RATE GRAPH




CREDENTIALS

- Watermark AS/NZS 3718WMKA25013

EXPLODED VIEW

No.	Item	Part Name
1		Back Plate
2		O-Ring
3		Cartridge Sleeve
4		Decor Cover
5		Handle
6		Screw
7		Decor Knob



MW13BDY

WALL MIXER CONCEALED BODY

meir®




FEATURES

- Refer to the Meir website for warranty terms & conditions, and available finishes
- Flow rate 18L p/m at 3 bar pressure.
- European components and cartridge
- Solid brass construction


CARE

- Do not install tapware using any form of acetone silicones.
- Do not apply physical items (such as tools) directly to product.
- Never use house-hold or commercial detergents, citrus based cleaners, or abrasive cleaners.
- Clean using a mild washing soap solution rinsed, and dry with a soft cloth.
- Check for any product defects before installation.
- Refer to the installation manual for correct installation.


SPECIFICATIONS



TOLERANCES



FLOW RATE GRAPH



CREDENTIALS

- Watermark AS/NZS 3718WMKA25013

EXPLODED VIEW

